

Touch surface made from

CuVerro® V

Antimicrobial Copper Surface

| | |
|--------------------------------|-------------|
| Active Ingredient: Copper..... | 91.3% |
| Other: | <u>8.7%</u> |
| Total..... | 100.0% |

EPA Reg No.85353-5 EPA Est No. 090651-OH-001

Net Weight:____ lbs ____ oz of CuVerro® V

See Insert for Directions for Use

Touch surface made from

CuVerro® V

Antimicrobial Copper Surface

| | |
|--------------------------------|-------------|
| Active Ingredient: Copper..... | 91.3% |
| Other: | <u>8.7%</u> |
| Total..... | 100.0% |

EPA Reg No.85353-5 EPA Est No. 090651-OH-001

Net Weight:____ lbs ____ oz of CuVerro® V

See Insert for Directions for Use

Touch surface made from

CuVerro® V

Antimicrobial Copper Surface

| | |
|--------------------------------|-------------|
| Active Ingredient: Copper..... | 91.3% |
| Other: | <u>8.7%</u> |
| Total..... | 100.0% |

EPA Reg No.85353-5 EPA Est No. 090651-OH-001

Net Weight:____ lbs ____ oz of CuVerro® V

See Insert for Directions for Use

Touch surface made from

CuVerro® V

Antimicrobial Copper Surface

| | |
|--------------------------------|-------------|
| Active Ingredient: Copper..... | 91.3% |
| Other: | <u>8.7%</u> |
| Total..... | 100.0% |

EPA Reg No.85353-5 EPA Est No. 090651-OH-001

Net Weight:____ lbs ____ oz of CuVerro® V

See Insert for Directions for Use

Touch surface made from

CuVerro® V

Antimicrobial Copper Surface

| | |
|--------------------------------|-------------|
| Active Ingredient: Copper..... | 91.3% |
| Other: | <u>8.7%</u> |
| Total..... | 100.0% |

EPA Reg No.85353-5 EPA Est No. 090651-OH-001

Net Weight:____ lbs ____ oz of CuVerro® V

See Insert for Directions for Use

Touch surface made from

CuVerro® V

Antimicrobial Copper Surface

| | |
|--------------------------------|-------------|
| Active Ingredient: Copper..... | 91.3% |
| Other: | <u>8.7%</u> |
| Total..... | 100.0% |

EPA Reg No.85353-5 EPA Est No. 090651-OH-001

Net Weight:____ lbs ____ oz of CuVerro® V

See Insert for Directions for Use

Touch surface made from

CuVerro® V

Antimicrobial Copper Surface

| | |
|--------------------------------|-------------|
| Active Ingredient: Copper..... | 91.3% |
| Other: | <u>8.7%</u> |
| Total..... | 100.0% |

EPA Reg No.85353-5 EPA Est No. 090651-OH-001

Net Weight:____ lbs ____ oz of CuVerro® V

See Insert for Directions for Use

Touch surface made from

CuVerro® V

Antimicrobial Copper Surface

| | |
|--------------------------------|-------------|
| Active Ingredient: Copper..... | 91.3% |
| Other: | <u>8.7%</u> |
| Total..... | 100.0% |

EPA Reg No.85353-5 EPA Est No. 090651-OH-001

Net Weight:____ lbs ____ oz of CuVerro® V

See Insert for Directions for Use

This product is made out of a copper surface that continuously kills bacteria left behind by dirty hands, killing more than 99.9% of bacteria* within 2 hours.

CuVerro[®] V
Antimicrobial Copper Surface

Laboratory testing has shown that when cleaned regularly this surface:

- Kills greater than 99.9% of bacteria* within two hours, and continues to kill 99% of bacteria* even after repeated contamination
- Delivers continuous and ongoing antibacterial* action, remaining effective in killing greater than 99.9% of bacteria* within 2 hours.
- Helps inhibit buildup and growth of bacteria* within 2 hours of exposure between routine cleaning and sanitizing steps.
- Kills greater than 99.9% of Gram-negative and Gram-positive bacteria* within 2 hours of exposure.
- Continuously reduces bacterial* contamination, achieving 99.9% reduction within 2 hours of exposure.

*Staphylococcus aureus, Enterobacter aerogenes, Methicillin-Resistant Staphylococcus aureus (MRSA), Escherichia coli O157:H7, and Pseudomonas aeruginosa.

DIRECTIONS FOR USE:

It is violation of Federal Law to use this product in a manner inconsistent with its labeling.

PROPER CARE AND USE: Clean and sanitize according to standard practice. Healthcare facilities must maintain the product in accordance with infection control guidelines. The use of this surface is a supplement to and not a substitute for standard infection control practices; users must continue to follow all current infection control practices, including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination, but does not necessarily prevent cross contamination.

This surface may be subject to recontamination and the level of active bacteria at any particular time will depend on the frequency and timing of recontamination and cleanliness of the surface (among other factors). In order to have proper antimicrobial effect, this product must be cleaned and maintained according to the directions for use.

DO NOT WAX, PAINT, LACQUER, VARNISH, OR OTHERWISE COAT THIS PRODUCT.

Routine cleaning to remove dirt and filth is necessary for good sanitation and to assure the effective antibacterial performance of this surface. Cleaning agents typically used for traditional hard, non-porous touch surfaces are permissible. The appropriate cleaning agent depends on the type of soiling and the measure of sanitization required. Normal tarnishing or wear of this product will not impair the antimicrobial effectiveness.

NOT APPROVED FOR DIRECT FOOD CONTACT OR FOOD PACKAGING USES.

Items exposed to outdoor environmental conditions are not representative of indoor laboratory test conditions, and therefore, may impart reduced efficacy if not cleaned when visibly soiled.

STORAGE AND DISPOSAL: Dispose of by recycling or put in trash.

WARRANTY STATEMENT: If used as intended this product is wear-resistant and the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed.

Wieland North America, Inc.
305 Lewis & Clark Blvd.
East Alton, IL 62024
www.CUVERRO.com
1-877-311-CUVERRO(2883) EPA Reg No 85353-5

Manufactured by: OB-0005-1104
MR Label Co.
5018 Gray Road
Cincinnati, OH 45232
EPA Est No. 090651-OH-001

This product is made out of a copper surface that continuously kills bacteria left behind by dirty hands, killing more than 99.9% of bacteria* within 2 hours.

Laboratory testing has shown that when cleaned regularly this surface:

- Kills greater than 99.9% of bacteria* within two hours, and continues to kill 99% of bacteria* even after repeated contamination
- Delivers continuous and ongoing antibacterial* action, remaining effective in killing greater than 99.9% of bacteria* within 2 hours.
- Helps inhibit buildup and growth of bacteria* within 2 hours of exposure between routine cleaning and sanitizing steps.
- Kills greater than 99.9% of Gram-negative and Gram-positive bacteria* within 2 hours of exposure.
- Continuously reduces bacterial* contamination, achieving 99.9% reduction within 2 hours of exposure.

*Staphylococcus aureus, Enterobacter aerogenes, Methicillin-Resistant Staphylococcus aureus (MRSA), Escherichia coli O157:H7, and Pseudomonas aeruginosa.

DIRECTIONS FOR USE:

It is violation of Federal Law to use this product in a manner inconsistent with its labeling.

PROPER CARE AND USE: Clean and sanitize according to standard practice. Healthcare facilities must maintain the product in accordance with infection control guidelines. The use of this surface is a supplement to and not a substitute for standard infection control practices; users must continue to follow all current infection control practices, including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination, but does not necessarily prevent cross contamination.

This surface may be subject to recontamination and the level of active bacteria at any particular time will depend on the frequency and timing of recontamination and cleanliness of the surface (among other factors). In order to have proper antimicrobial effect, this product must be cleaned and maintained according to the directions for use.

DO NOT WAX, PAINT, LACQUER, VARNISH, OR OTHERWISE COAT THIS PRODUCT.

Routine cleaning to remove dirt and filth is necessary for good sanitation and to assure the effective antibacterial performance of this surface. Cleaning agents typically used for traditional hard, non-porous touch surfaces are permissible. The appropriate cleaning agent depends on the type of soiling and the measure of sanitization required. Normal tarnishing or wear of this product will not impair the antimicrobial effectiveness.

NOT APPROVED FOR DIRECT FOOD CONTACT OR FOOD PACKAGING USES.

Items exposed to outdoor environmental conditions are not representative of indoor laboratory test conditions, and therefore, may impart reduced efficacy if not cleaned when visibly soiled.

STORAGE AND DISPOSAL: Dispose of by recycling or put in trash.

WARRANTY STATEMENT: If used as intended this product is wear-resistant and the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed.

This product is made out of a copper surface that continuously kills bacteria left behind by dirty hands, killing more than 99.9% of bacteria* within 2 hours.

Laboratory testing has shown that when cleaned regularly this surface:

- Kills greater than 99.9% of bacteria* within two hours, and continues to kill 99% of bacteria* even after repeated contamination
- Delivers continuous and ongoing antibacterial* action, remaining effective in killing greater than 99.9% of bacteria* within 2 hours.
- Helps inhibit buildup and growth of bacteria* within 2 hours of exposure between routine cleaning and sanitizing steps.
- Kills greater than 99.9% of Gram-negative and Gram-positive bacteria* within 2 hours of exposure.
- Continuously reduces bacterial* contamination, achieving 99.9% reduction within 2 hours of exposure.

*Staphylococcus aureus, Enterobacter aerogenes, Methicillin-Resistant Staphylococcus aureus (MRSA), Escherichia coli O157:H7, and Pseudomonas aeruginosa.

DIRECTIONS FOR USE:

It is violation of Federal Law to use this product in a manner inconsistent with its labeling.

PROPER CARE AND USE: Clean and sanitize according to standard practice. Healthcare facilities must maintain the product in accordance with infection control guidelines. The use of this surface is a supplement to and not a substitute for standard infection control practices; users must continue to follow all current infection control practices, including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination, but does not necessarily prevent cross contamination.

This surface may be subject to recontamination and the level of active bacteria at any particular time will depend on the frequency and timing of recontamination and cleanliness of the surface (among other factors). In order to have proper antimicrobial effect, this product must be cleaned and maintained according to the directions for use.

DO NOT WAX, PAINT, LACQUER, VARNISH, OR OTHERWISE COAT THIS PRODUCT.

Routine cleaning to remove dirt and filth is necessary for good sanitation and to assure the effective antibacterial performance of this surface. Cleaning agents typically used for traditional hard, non-porous touch surfaces are permissible. The appropriate cleaning agent depends on the type of soiling and the measure of sanitization required. Normal tarnishing or wear of this product will not impair the antimicrobial effectiveness.

NOT APPROVED FOR DIRECT FOOD CONTACT OR FOOD PACKAGING USES.

Items exposed to outdoor environmental conditions are not representative of indoor laboratory test conditions, and therefore, may impart reduced efficacy if not cleaned when visibly soiled.

STORAGE AND DISPOSAL: Dispose of by recycling or put in trash.

WARRANTY STATEMENT: If used as intended this product is wear-resistant and the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed.